# STATEMENT OF WORK (SOW) REBUILD OF CRANKSHAFT FOR ENGINE DIESEL, AVDS 1790-2DA NSN 2815-01-233-9709

- 1.0 <u>Scope.</u> This Statement of Work (SOW) establishes, sets forth tasks and identifies the work effort that shall be performed by the Contractor (for the purpose of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the Crankshaft for Engine Diesel, AVDS 1790-2DA, NSN 2815-01-233-9709, in support of the M88A1 Recovery Vehicle, ID# 07769A, TASMCN E1377, NSN 2530-00-122-6826. This document contains requirements to restore the Crankshaft for Engine Diesel, AVDS 1790-2DA to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more then six months shelf life remaining.
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

### 2.1 Military Standards.

MIL-STD-129

DoD Standard Practice for Military Marking

Military Standards- (Guidance Only).

MIL-STD-973

Configuration Management

2.2 Other Government Documents and Publications.

DMWR 9-2815-220

Depot Maintenance Work Requirement (DMWR)

DOD 4000.25-1-M

**MILSTRIP Manual** 

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Material From the

Federal Supply System

12254249 Packaging Data Sheet (PDS)

2.3 Industry Standard.

ANSI/ISO/ASQC Q9003-1994 Quality Systems - Model for Quality Assurance in Final Inspection and Test

Copies of Military Specifications and Standards are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue Philadelphia, Pa 19111-5094, Telephone commercial (215) 697-2179 or DSN 442-2179, or <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Marine Corps Logistics Bases, (Code 894) Attn: Contracting Officer, 814 Radford Blvd; Albany, Georgia 31704-1128. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. STE 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

- 3.0 Requirements.
- 3.1 The contractor shall rebuild the Crankshaft in accordance with DMWR 9-2815-220.
- 3.2 Quality acceptance and test procedures shall be performed in accordance with DMWR 9-2815-220.
- 3.3 Quality Assurance Provisions. The contractor shall provide and maintain a Quality System that as a minimum adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems Model for Quality Assurance in Final Inspection and Test.
- 3.4 <u>Configuration Control.</u> The Contractor shall apply configuration control procedures to established configuration items. The Contractor shall not implement configuration changes to an items documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by the written procedures or materiel contained in manuals, standards, instructions or engineering drawings. If it is necessary to depart from the authorized configuration baseline, the Contractor shall submit a Request for Deviation or Request for Waiver using MIL-STD-973 (paragraph 5.4.3 or 5.4.4) as a guide.
- 3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). GFE is government owned equipment authorized by contract for use by a commercial/government Contractor. It is neither consumed during production nor incorporated into any product. GFM is material furnished to a contractor that will be consumed during the course of production or incorporated into product being manufactured/remanufactured under a contract/statement of

work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets.

3.6 <u>Contractor Furnished Materiel</u> The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

# 3.7 Packaging, Handling, Storage, and Transportation (PHS&T)

- a. The contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. All items scheduled for shipment to all destinations shall be in accordance with Level "A" requirements of Packaging Data Sheet (PDS) 12254249. The PDS may be obtained from Material Management Division, Attn: Logistics Support Section, Suite 20320, 814 Radford Blvd; Albany, Georgia 31704-0320, Commercial telephone (912) 439-6786 or DSN 567-6786.
  - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the rebuilt equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

**BB FORM 1423-1, AUG 96 (EG)** 

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Operations and Reports (2070-10.188), 1215 Jefferson Davis Highway, Suite 1204, Aritington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.  D. SYSTEMIITEM		B. EXHIBIT  E. CONTRACT/PR		C. CATEGORY:  TOP TM OTHER						
										ļ
	Crankshaft									 
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					17. PRICE GROU
A001		Request	For Deviation	ì		Configuration Ma	nageme	ent		į
4. AUTHORITY (Data Acquisition Document No.)		5. CONTRACT REFERENCE			6. REQUIRING OFFICE					
DI-0	CMAN-80640B			SOW 3.4		MCLBA	A (825)	)		TOTAL PRICE
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISSI		14. DISTRIBUTION				
LT	, incomes		ASREQ	SEE BLK	16		b. COPIES			
8. APP CODE	A	11. AS OF DAT	TE	13. DATE OF SUBSECUENT SUBMISSION		a. ADDRESSEE	Draft			
16. REMARKS	A	L		<u> </u>		MOLDA (925.2)	0	Reg 1		
Blk 4 - Contra	ctor format using		-			MCLBA (825-2)	1 0	<u> </u>	U	
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.										
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.										
RFDs shall be mbmatcommed		ļ		ļ						
D		1.6	111	and the second	1					
Distribution St	tatement A: Appr	oved for	public release	e, distribution is u	niimited		<del> </del>	<u> </u>		Į į
										ļ
								-		
							1			Ì
									<b></b>	İ
							anagement  A (825)  b. COPIES  Final			
							<u> </u>	ļ		<u>i</u> 
										ĺ
										ļ.
							-			
							-			
										[ '
						Marrier Marie of the St. co.				
							1			
							†		<b> </b>	
						115				
	<u> </u>		<del></del>			15. TOTAL		1	0	
G. PREPARED BY			H. DATE	I. APPROVED E		n/1/				
Dang	<u></u>		2-28-	00 deste	god C	1 Kong	5-1	1-0	0	

PREVIOUS EDITION MAY BE USED.

# **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the showe address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

	ona sening officer for the contraction											
A. CONTRACT LINE	ITEM NO.	B. EXHIBIT										
						DTHER		<u> </u>				
D. SYSTEM/ITEM	Crankshaft		E. CONTRACT/	PH NU.	F. CU	NTRACTO	4					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3, \$UB	TITLE					17. PRICE GI	
A002		t For Waive	r Waiver			Configuration Management						
4. AUTHORITY (Data Acqu	isition Document No.)		S. CONTRACT REFE	RENCE		6. Ri	QUIRING OFFICE				18. ESTIMAT	
DI-	CMAN-80641B			SOW 3	3.4		MCLI	BA (825)	)		TOTAL P	
		10. FREQUENC			12. DATE OF FIRST SUBMISSION		DISTRIBUTION					
LT REQUIRED		ASREQ		S	EE BLK 16				b. COPIES			
8. APP CODE		11. AS OF DA	TE	13. DATE OF SUBSEQ SUBMISSION			a. ADDRESSEE	Draft	Fi	nal		
	A							Dian	Reg	Repro		
16. REMARKS						M	CLBA (825-2)	0	1	0		
Blk 4 - Contra	actor format using	.doc or .	pdf softwar	e application	ons is authorize	ed.						
Blks 10 & 12 nonconformin documentation	- RFWs shall be s ig material which	submitted does not 1	to obtain au meet prescri	thorization bed config	to deliver uration							
RFWs will be receipt by the	reviewed and dis Government.	position d	letermined v	vithin 30 ca	alendar days u	pon						
RFWs shall b mbmatcomcor	e transmitted via l nfigmngmnt@mat	E-Mail to com.usmo	the following.mil	ng address:							Li	
Distribution S	tatement A: App	roved for	public relea	ase, distribi	ution is unlimi	ted					 	
			•								 	
									ļ		 	
										<b> </b>	 	
										ļ. <u></u>		
									ļ		l <sup>'</sup>	
						ļ			-			
						ļ		-				
						-		-		<b></b>	ļ	
										1		
						1-				┤┤┤		
						·						
									-			
								-   -				
									<del> </del>			
									<u> </u>	<del></del>	i i	
									†		11	
									<b>†</b>	1	:	
										$\dagger$	1	
										$\dagger$	1	
											1:	
									l	<b> </b>	ı <sup>i</sup>	
											ļ. <sup>‡</sup>	
						15. T	OTAL -	<b>→</b> 0	1	0	.	
G. PREPARED BY			H. DATE	1.7	APPROVED BY	/	20	J. DAT	E		:	
5	S.		2-28	2-00	1/2-4	4//	///	9	1-0	,,	:	
	Lan		200		crocy o	/_						
<b>DD FORM 1423</b>	-1, AUG 96 (EG)			PREVIOUS EDIT	TION MAY BE USED.	-	,	Page	of	Pages		

Page \_\_\_\_ of \_\_\_\_ Pages Designed using Perform Pro, WHS/DIOR, Aug 96